



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

FHP PRICE LIST No- 08 STANDARD MOTORS

Ref : FHP/ALP-STD/21-22/ 08 w.e.f. 05.07.2021

Millenium Series

Single Phase , 220 Volts, Rolled Sheet Body, NEMA/IEC Frame FHP Motors

4 pole, Foot Mounted Motors

MILLENIUMSERIES

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	List Price - INR
0.25	180	4	B48	DP	PSC	General Purpose	0.25S4LD	GF4228-BB	4100
0.25	180	4	B48	DP	PSC	Soda making(with hub)	0.25S4LD-SODA	GF4555	4100
0.33	250	4	B48	DP	PSC	Incubator / GP	0.33S4LD	GF6964	5400
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4MD	GF6434	7450
1.0	750	4	B56	DPFC	CSIR	General Purpose	1S4MD	GF6566	10750
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HT	GF6054	11500
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4HT	GF6563	14100
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD	2S4HT	GF6564	16300
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD with CI Endshield	2S4MT-CIES	GF6987	16600
2.0	1500	4	100S	TEFC	CSCR	General Purpose	2S4MT	GF6834	15250
2.0	1500	4	100S	TEFC	CSCR	Wood Planer	2S4HT-WP	GF6230	16900
2.0	1500	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	2S4HT-WP+CIES	GF6989	17100
2.0	1500	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	2S4HT-WP+ITB	GF6909	18100
3.0	2250	4	100S	DPFC	CSCR	General Purpose	3S4HD	GF6565	20400
3.0	2250	4	100S	TEFC	CSCR	General Purpose	3S4HT	GF6565-TEFC	20400
3.0	2250	4	100S	TEFC	CSCR	General Purpose -HD with CI endshield	3S4HT-CIES	GF6988	20600
3.0	2250	4	100S	TEFC	CSCR	Wood Planer	3S4HT-WP	GF6567	21400
3.0	2250	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	3S4HT-WP+CIES	GF6990	21600
3.0	2250	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	3S4HT-WP+ITB	GF6963	22000

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	2	B56	DP	CSIR	General Purpose	0.5S2MD	GF6132	7650
1.0	750	2	B56	DP	CSIR	General Purpose	1S2MD	GF6133	10300
1.0	750	2	B56	TEFC	CSIR	General Purpose	1S2MT	GF6144	10350
2.0	1500	2	B56	TEFC	CSCR	General Purpose	2S2MT	GF6217	13350



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

Maestro Series

Single Phase , 220 Volts, Rolled Sheet Body , NEMA/IEC Frame, Economy Model FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP1	GF6093	4500
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP2	GF6347	4300
0.25	180	4	B56	DP	PSC	General Purpose	0.25S4LDE	GF6090	3650
0.25	180	4	B48	DP	PSC	Soda making(with hub)	0.25S4LDE-SODA	GF4523	3250
0.25	180	4	B48	DP	PSC	Wet Grinder-CCW	0.25S4LDE-WG	GF4451	2950
0.25	180	4	B48	DP	PSC	Wet Grinder-CW	0.25S4LDESP3	GF4453	2950
0.33	250	4	B56	DP	PSC	Wet Grinder	0.33S4LDE	GF6102	4350
0.25	180	4	B56	DP	CSIR	General Purpose	0.25S4HDE	GF6779	4650
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4HDE	GF6778	6100
0.5	370	4	B56	TEFC	CSIR	General Purpose	0.5S4MTE	GF6091	6600
0.5	370	4	B56	DP	CSCR	General Purpose	0.5S4HDE-Q	GF6890	6200
0.5	370	4	B56	DP	CSCR	Wet Grinder	0.5S4MDE	GF6781-H	5550
1.0	750	4	B56	DP	CSCR	General Purpose(LD)	1S4LDE	GF6784	8100
1.0	750	4	B56	DPFC	CSCR	General Purpose	1S4HDE	GF6782	9300
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HTE	GF6879	9300
1.5	1100	4	B56	DPFC	CSCR	General Purpose	1.5S4MDE	GF6806	10100
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4MTE	GF6901	12550
2	1500	4	100S	TEFC	CSCR	General Purpose	2S4MTE	GF6902	14650
2	1500	4	100S	TEFC	CSCR	General Purpose ISI Approv	2S4HTE	GF6564-SPL	14800
2	1500	4	100S	TEFC	CSCR	Wood Working	2S4HTE-WP	GF6904	15750

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	2	B56	TEFC	CSCR	General Purpose	0.5S2MTE	GF6828	6650
1.0	750	2	B56	TEFC	CSCR	General Purpose	1S2MTE	GF6829	7800

Single Phase , 220-240 Volts, Rolled Sheet Body FHP Motors with IEC Flange Mounting



MILLENIUM SERIES

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	CSCR	General Purpose	0.25S4HT-FLG	GF6939	6000
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HT-FLG	GF6940	7900
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HT-FLG	GF6941	11900
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4LT-FLG	GF6823	14250



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4MT-FLG	GF6956	16350
3.0	1500	4	IEC 100	TEFC	CSCR	General Purpose	3S4HT-FLG	GF6942	20300

4 pole NEMA Flange Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4HD-NFLG	GF6741	7000
1.0	750	4	B56	DPFC	CSIR	General Purpose	1S4HD-NFLG	GF6743	10000
2.0	1500	4	100S	TEFC	CSCR	General Purpose	2S4HT-NFLG	GF6742	16000

Single Phase , 220-240 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting

4 pole Flange mounted motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	CSCR	General Purpose	0.25S4MTE-FLG	GF6937	5700
0.25	180	4	IEC 71	TEFC	CSIR	General Purpose	0.25S4HTE-FLG	GF6796	4800
0.25	180	4	IEC 71	DP	CSIR	General Purpose	0.25S4HDE-FLG	GF6797	4700
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HTE-FLG	GF6795	6500
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HTE-FLG	GF6938	9250

2 pole NEMA Flange Mounted Lawn Mower Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	2	B56	TEFC	CSIR	Lawn Mower	1S2HT-LM	GF6785	10400
1.0	750	2	B56	TEFC	CSIR	Lawn Mower-Eco model	1S2HTE-LM	GF6850	9200
2.0	1500	2	B56	TEFC	CSCR	Lawn Mower	2S2HT-LM	GF6155	13900
3.0	2250	2	B56	TEFC	CSCR	Lawn Mower	3S2LT-LM	GF6897	14500

2 pole NEMA Foot cum Flange Mounted Motors for Needle Vibrator Application

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange	2S2HT-FCF	GF6156	13650
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face	2S2HT-FCFACE	GF6856	13400
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Integrated MCB	2S2HT-FLG+MCB	GF6959	14150
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	2S2HT-FACE+MCB	GF6970	13900
3.0	2250	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	3S2HT-FACE+MCB	GF6972	20300
2.0	1500	2	B56	TEFC	M	Foot cum Face	2S2HT-FACE+MCB-TP	GF6973	10550
3.0	2250	2	B56	TEFC	M	Foot cum Face	3S2HT-FCF-TP	GF6974	13200
3.0	2250	2	B56	TEFC	CSCR	Needle vibrator	3S2HT-FCF	GF6832	17100
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Eco Model)	2S2HTE-FCF	GF6892	10400
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Eco Model)	2S2HTE-FCFACE	GF6877	10200
2.0	1500	2	B56	TEFC	M	Needle vibrator	2S2HT-FCF+TP	GF6751	10550
3.0	2250	2	B56	TEFC	M	Needle vibrator	3S2HT-FCF+TP	GF6752	13200



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

Rhino Series

Single Phase , 220 Volts, CI Body , IEC Frame, FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	80	TEFC	CSCR	General Purpose - ISI Mark	1C4M	GF7001	11300
1.0	750	4	90	TEFC	CSCR	General Purpose - HD - ISI Mark	1C4H	GF7058	11500
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4H	GF7042	14800
2.0	1500	4	100L	TEFC	CSCR	General Purpose - ISI Mark	2C4M	GF7010	16250
2.0	1500	4	100L	TEFC	CSCR	General Purpose - HD	2C4H	GF7065	16850
3.0	2250	4	112M	TEFC	CSCR	General Purpose	3C4H	GF7003	23950
4.0	3000	4	112M	TEFC	CSCR	General Purpose	4C4H	GF7004	24750
5.0	3750	4	132M	TEFC	CSCR	General Purpose	5C4H	GF7005	40200
5.0	3750	6	132M	TEFC	CSCR	General Purpose	5C6H	GF7079	41300
7.5	5500	4	160M	TEFC	CSCR	General Purpose	7.5C4H	GF7076	68000

4 pole, IEC Flange Mounted Motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1C4M-FLG	GF7020	11500
2	1500	4	IEC 100	TEFC	CSCR	General Purpose	2C4M-FLG	GF7059	16400
3	2250	4	112M	TEFC	CSCR	General Purpose	3C4H-FLG	GF7048	24850

Sheetal Series

Single Phase , 220 Volts, CI Body , IEC Frame, Economy Model FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	4	80	TEFC	CSCR	General Purpose	0.5C4HE	GF7038	7250
1.0	750	4	90	TEFC	CSCR	General Purpose - ISI Mark	1C4HE	GF7039	10250
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4ME	GF7019	13650
2.0	1500	4	100L	TEFC	CSCR	General Purpose- ISI Mark	2C4ME	GF7017	14850
3.0	2250	4	112	TEFC	CSCR	General Purpose - ISI Mark	3C4HE	GF7041	19800

e LiTe Series

Single Phase , 220 Volts, Aluminium Body, IEC Frame FHP Motors





Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

4 pole Foot Mounted Motors

eLiTe SERIES

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	63	TEFC	PSC	Pumps/ Blowers/Gear Boxes	0.25A4L	GF7501	5200
0.33	250	4	71	TEFC	CSCR	General purpose	0.33A4M	GF7237	7000
0.33	250	4	71	TEFC	PSC	Pumps/ Blowers/Gear Boxes	0.33A4L	GF7238	5100
0.5	375	4	71	TEFC	PSC	Pumps/ Blowers/Gear Boxes	0.5A4L	GF7502	6500
0.5	370	4	71	TEFC	CSCR	General purpose	0.5A4M	GF7239	7400
0.75	550	4	80	TEFC	CSCR	General purpose	0.75A4M	GF7240	9300
0.75	550	4	80	TEFC	PSC	Pumps/ Blowers/Gear Boxes	0.75A4L	GF7241	8000
1.0	750	4	80	TEFC	PSC	Pumps/ Blowers/Gear Boxes	1A4L	GF7503	9100
1.0	750	4	80	TEFC	CSCR	General purpose	1A4M	GF7504	10650
1.5	1100	4	90S	TEFC	CSCR	General purpose	1.5A4M	GF7242	13600
1.5	1100	4	90S	TEFC	PSC	Pumps/ Blowers/Gear Boxes	1.5A4L	GF7243	13200
2.0	1500	4	90L	TEFC	PSC	Pumps/ Blowers/Gear Boxes	2A4L	GF7244	14350
2.0	1500	4	90L	TEFC	CSCR	General purpose	2A4M	GF7245	15000
3.0	2200	4	100L	TEFC	PSC	Pumps/ Blowers/Gear Boxes	3A4L	GF7246	18350
3.0	2200	4	100L	TEFC	CSCR	General purpose	3A4M	GF7247	19550

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	2	63	TEFC	PSC	General purpose	0.25A2L	GF7248	5900
0.33	250	2	63	TEFC	PSC	General purpose	0.33A2L	GF7249	6500
0.5	370	2	71	TEFC	CSCR	General purpose	0.5A2M	GF7250	7750
0.75	550	2	71	TEFC	CSCR	General purpose	0.75A2M	GF7252	9100
1	750	2	80	TEFC	PSC	Pumps/ Blowers	1A2L	GF7254	9200
1	750	2	80	TEFC	CSCR	General purpose	1A2M	GF7255	10200
1.5	1100	2	80	TEFC	PSC	Pumps/ Blowers	1.5A2L	GF7256	9900
1.5	1100	2	90	TEFC	CSCR	General purpose	1.5A2M	GF7257	11000
2	1500	2	90S	TEFC	PSC	Pumps/ Blowers	2A2L	GF7258	13000
2	1500	2	90L	TEFC	CSCR	General purpose	2A2M	GF7259	14100
3	2200	2	90L	TEFC	PSC	Pumps/ Blowers	3A2L	GF7260	14200
3.0	2250	2	90	TEFC	CSCR	General purpose	3A2M	GF7235	16350

4 pole Flange Mounted Motors

eLiTe SERIES

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.16	120	4	IEC 63	TEFC	PSC	Pump/Blowers	0.16A4L-FLG	GF7525	5500
0.25	180	4	IEC 71	TEFC	PSC	Pump/Blowers	0.25A4L-FLG	GF7220	6400



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

0.25	180	4	IEC 71	TEFC	CSIR	General Purpose	0.25A4M-FLG	GF7526	6700
0.25	180	4	IEC71	TEFC	PSC	General Purpose	0.25A4H-FLG	GF7261	6800
0.50	370	4	IEC 71	TEFC	PSC	Pump/Blowers	0.5A4L-FLG	GF7519	7300
0.5	370	4	IEC71	TEFC	CSCR	General purpose	0.5A4M-FLG	GF7262	9100
0.50	370	4	IEC 80	TEFC	PSC	Pump/Blowers	0.5A4L-80FLG	GF7221	7050
0.50	370	4	IEC 80	TEFC	CSIR	General Purpose	0.5A4M-80FLG	GF7512	8550
0.75	550	4	IEC 80	TEFC	PSC	Pump/Blowers	0.75A4L-FLG	GF7223	8400
0.75	550	4	IEC 80	TEFC	CSCR	General Purpose	0.75A4M-FLG	GF7210	9300
1.00	750	4	IEC 80	TEFC	PSC	Pump/Blowers	1A4L-FLG	GF7225	8600
1.00	750	4	IEC 80	TEFC	CSCR	General Purpose	1A4M-FLG	GF7508	10600
2.0	1500	4	IEC 90	TEFC	CSCR	General purpose	2A4M-FLG	GF7263	16400
3.0	2200	4	IEC 100L	TEFC	CSCR	General purpose	3A4M-FLG	GF7264	22000

2 pole Flange Mounted Motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	120	2	IEC 63	TEFC	PSC	Pump/Blowers	0.25A2L-FLG	GF7212	5200
0.50	370	2	IEC 71	TEFC	PSC	Pump/Blowers	0.5A2L-FLG	GF7214	6500
1.00	750	2	IEC 80	TEFC	PSC	Pump/Blowers	1A2L-FLG	GF7216	8500
2.00	1500	2	IEC 90	TEFC	PSC	Pump/Blowers	2A2L-FLG	GF7218	12300

3 RS Series

Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame Motors



4 pole , Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MD-TP	GF6793	7500
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MD-TP	GF6805	9400
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MD-TP	GF6794	10900
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MD-TP	GF6798	16200

Power Series

Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame , Economy Model Motors

4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MDE-TP	GF6851	5600
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MDE-TP	GF6854	8200
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MDE-TP	GF6852	9600



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

3.0	2250	4	S100	DPFC	M	General Purpose	3S4MDE-TP	GF6853	11900
-----	------	---	------	------	---	-----------------	-----------	--------	-------

Three Phase , 415 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting

4 pole Flange mounted motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	M	General Purpose	0.25S4MTE-TP+FLG	GF6936	4200
0.5	370	4	IEC 71	TEFC	M	General Purpose	0.5S4MTE-TP+FLG	GF6930	5400
1	750	4	IEC 80	DPFC	M	General Purpose	1S4MDE-TP+FLG	GF6931	6550
1.5	1100	4	IEC 90	DPFC	M	General Purpose	1.5S4MDE-TP+FLG	GF6933	8450
2	1500	4	IEC 90	DPFC	M	General Purpose	2S4MDE-TP+FLG	GF6932	10250
3	2250	4	IEC100	DPFC	M	General Purpose	3S4MDE-TP-FLG	GF8604	13500

Comfort Series

Single Phase & Three Phase , Rolled Sheet Body Motors for Air Handling Application.



4 , 6 & 8 Pole, Pad Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	New Cat ref	Old Cat Ref	ALP- INR
0.13	90	4	95D	TE AOM	12	12" Fan	12EX4-	GF4414	2250
0.03	25	2	95D	TE AOM	PSC	12" Fan	12EX2-	GF4553	2000
0.03	25	2	95D	TE AOM	PSC	12" Fan(Lug Mounting)	12CO2-LUG	GF7411	1550
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3CW	GF4577R-CW	2025
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW	GF4577R-ACW	2025
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3CW-COWL	GF4577R-CW-COWL	2130
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW-COWL	GF4577R-ACW-COWL	2130
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-CW	1930
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-ACW	1930
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3	GF4579R-CW	2250
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3 COWL	GF4579R-ACW-COWL	2380
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3	GF4579R-ACW	2250
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3 COWL	GF4579R-CW-COWL	2380
0.14	107	4	110D	TE AOM	PSC	17" Coolers	17CO4E-3 COWL	GF4641R-ACW-COWL	2530
0.14	107	4	B42	TE AOM	PSC	16"-Climatiser Motor-3 Speed(Eco)	16CL4-3E	GF4519	3000
0.14	107	4	B42	TE AOM	PSC	18" Cooler(Eco)-3 Speed	18CO4-3E	GF4527	2370
0.14	107	4	B43	TE AOM	PSC	18" Cooler(Eco)-3 Speed	19CO4-4E	GF4527-COWL	2530
0.14	107	4	B44	TE AOM	PSC	18" Cooler(Eco)-3 Speed	20CO4-5E	GF4527R-COWL-ACW	2530
0.14	107	4	B42	TE AOM	PSC	18" Cooler-3 Speed	18CO4	GF4550	3060
0.14	107	4	B42	TE AOM	PSC	18" Cooler(Eco)-3 Speed	18CO4-3H	GF4558	2740
0.14	107	4	B42	TE AOM	PSC	18" Cooler (stud mtg)-3 Speed	18CO4-3 STUD	GF4559	2370



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

0.16	125	6	B48	TE AOM	PSC	18" Fan- 3 Speed	18EX6-3	GF4380	4200
0.16	125	4	B42	TE AOM	PSC	15" Fan	15EX4	GF4390	3370
0.14	107	4	B42	TE AOM	PSC	15"-Climatiser Motor-3 Speed	16CL4-3	GF7410	2800
0.16	125	4	B42	TE AOM	PSC	15" Fan-3 Speed	15EX4-3	GF4378	3470
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)	18EX4-E	GF4389	3530
0.25	180	4	B48	TE AOM	PSC	18" Fan	18EX4	GF4480	4270
0.25	180	4	B48	TE AOM	PSC	18" Fan-3 Speed	18EX4-3	GF4379	4600
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)-3 Speed	18EX4-3E	GF4497	4000
0.50	370	6	B56	TE AOM	PSC	24" Fan	24EX6	GF6619	7400
0.50	370	6	B56	TE AOM	PSC	24" Fan(Eco)	24EX6-E	GF6872	6250
0.50	370	6	B56	TE AOM	M	24" Fan	24EX6-TP	GF6739	7600

Flame Proof Series

Explosion Proof Motors suitable for Gas Group IIA/IIB as per IS 2148

HP	Watts	Pole	Frame	Enclosure	Type	Application	New Cat ref	Old Cat Ref	ALP- INR
0.75	550	4	FP50	TEFC	CSCR	Fuel Dispenser	0.75F4	GF6442	16200
1.0	750	4	FP50	TEFC	CSCR	Fuel Dispenser	1F4	GF6557	19300

Note :

PSC : Permanent Split Capacitor Motor

CSIR : Capacitor Start Induction Run Motor

CSCR : Capacitor Start Capacitor Run Motor

S : Split Phase Motor

Note :

1. All Prices are subject to our general terms & condition of business policy .

2. GST - extra as applicable .

Any change in this would be charged as applicable at the time of despatch.

5. Prices are subject to change without notice. 6. This price list supersedes all our earlier price list