



Smart solutions.  
Strong relationships.

## **FHP Division , GOA**

### **FHP PRICE LIST No - 14 STANDARD MOTORS**

**Ref : FHP/ALP-STD/25-26/ 14 w.e.f. 1/10/2025**



Smart solutions.  
Strong relationships.

**Millenium Series**

**Single Phase , 230 Volts, Rolled Sheet Body, NEMA/IEC Frame FHP Motors**

**4 pole, Foot Mounted Motors**

**MILLENIUM SERIES**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	List Price - INR
0.25	180	4	B48	DP	PSC	General Purpose	0.25S4LD	GF4228-BB	5170
0.25	180	4	B48	DP	PSC	Soda making(with hub)	0.25S4LD-SODA	*GF4555	5170
0.33	250	4	B48	DP	PSC	Incubator / GP	0.33S4LD	*GF6964	6820
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4MD	GF6434	9400
1.0	750	4	B56	DPFC	CSIR	General Purpose	1S4MD	GF6566Z	13570
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HT	GF6054	14510
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4HT	GF6563	17800
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD	2S4HT	GF6564	20560
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD with CI Endshield	2S4MT-CIES	*GF6987	21760
2.0	1500	4	100S	TEFC	CSCR	General Purpose	2S4MT	GF6834	19240
2.0	1500	4	100S	TEFC	CSCR	Wood Planer	2S4HT-WP	GF6230	21530
2.0	1500	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	2S4HT-WP+CIES	*GF6989	22000
2.0	1500	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	2S4HT-WP+ITB	*GF6909	22850
3.0	2250	4	100S	DPFC	CSCR	General Purpose	3S4HD	GF6565	25750
3.0	2250	4	100S	TEFC	CSCR	General Purpose	3S4HT	GF6565-TEFC	25750
3.0	2250	4	100S	TEFC	CSCR	General Purpose -HD with CI endshield	3S4HT-CIES	*GF6988	26000
3.0	2250	4	100S	TEFC	CSCR	Wood Planer	3S4HT-WP	GF6567	27010
3.0	2250	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	3S4HT-WP+CIES	*GF6990	27270
3.0	2250	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	3S4HT-WP+ITB	*GF6963	27770

**2 pole Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	2	B56	DP	CSIR	General Purpose	0.5S2MD	GF6132	9840
1.0	750	2	B56	DP	CSIR	General Purpose	1S2MD	GF6133	13250
1.0	750	2	B56	TEFC	CSIR	General Purpose	1S2MT	GF6144	13070
2.0	1500	2	B56	TEFC	CSCR	General Purpose	2S2MT	GF6217	16850



Smart solutions.  
Strong relationships.

**Maestro Series**

Single Phase , 230 Volts, Rolled Sheet Body , NEMA/IEC Frame, Economy Model FHP Motors

**4 pole Foot Mounted Motors**



HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP1	*GF6093	5680
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP2	*GF6347	5420
0.25	180	4	B56	DP	PSC	General Purpose	0.25S4LDE	GF6090	4610
0.25	180	4	B48	DP	PSC	Soda making( with hub)	0.25S4LDE-SODA	*GF4523	4100
0.25	180	4	B48	DP	PSC	Wet Grinder-CCW	0.25S4LDE-WG	GF4451	3730
0.25	180	4	B48	DP	PSC	Wet Grinder-CW	0.25S4LDESP3	GF4453	3730
0.33	250	4	B56	DP	PSC	Wet Grinder	0.33S4LDE	*GF6102	5500
0.25	180	4	B56	DP	CSIR	General Purpose	0.25S4HDE	GF6779	5860
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4HDE	GF6778	7710
0.5	370	4	B56	TEFC	CSIR	General Purpose	0.5S4MTE	*GF6091	8330
0.5	370	4	B56	DP	CSCR	General Purpose	0.5S4HDE-Q	GF6890	7830
0.5	370	4	B56	DP	CSCR	Wet Grinder	0.5S4MDE	GF6781-H	7000
1.0	750	4	B56	DP	CSCR	General Purpose(LD)	1S4LDE	GF6784	10230
1.0	750	4	B56	DPFC	CSCR	General Purpose	1S4HDE	GF6782	11730
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HTE	*GF6879	11730
1.5	1100	4	B56	DPFC	CSCR	General Purpose	1.5S4MDE	*GF6806	12750
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4MTE	*GF6901	15840
2	1500	4	100S	TEFC	CSCR	General Purpose	2S4MTE	*GF6902	18490
2	1500	4	100S	TEFC	CSCR	General Purpose ISI Approval	2S4HTE	GF6564-SPL	18680
2	1500	4	100S	TEFC	CSCR	Wood Working	2S4HTE-WP	*GF6904	19880

**2 pole Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	2	B56	TEFC	CSCR	General Purpose	0.5S2MTE	GF6828	8400
1.0	750	2	B56	TEFC	CSCR	General Purpose	1S2MTE	GF6829	10030

Single Phase , 220-240 Volts, Rolled Sheet Body FHP Motors with IEC Flange Mounting



**4 pole IEC Flange mounted motors**



HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	CSCR	General Purpose	0.25S4HT-FLG	GF6939	7870
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HT-FLG	GF6940	10250
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HT-FLG	GF6941	15010
1.5	1100	4	IEC 90	TEFC	CSCR	General Purpose	1.5S4HT-FLG	GF6998	18680
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4LT-FLG	GF6823	17990
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4MT-FLG	GF6956	20640
3.0	1500	4	IEC 100	TEFC	CSCR	General Purpose	3S4HT-FLG	GF6942	25620



Smart solutions.  
Strong relationships.

**Single Phase , 220-240 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting**

**4 pole Flange mounted motors**

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HTE-FLG	GF6795	8200
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HTE-FLG	GF6938	11670

**2 pole NEMA Flange Mounted Lawn Mower Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	2	B56	TEFC	CSIR	Lawn Mower	1S2HT-LM	GF6785	13120
1.0	750	2	B56	TEFC	CSIR	Lawn Mower-Eco model	1S2HTE-LM	GF6850	11620
2.0	1500	2	B56	TEFC	CSCR	Lawn Mower	2S2HT-LM	GF6155	17540
3.0	2250	2	B56	TEFC	CSCR	Lawn Mower	3S2LT-LM	GF6897	18650

**2 pole NEMA Foot cum Flange Mounted Motors for Needle Vibrator Application**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange	2S2HT-FCF	GF6156	17230
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face	2S2HT-FCFACE	GF6856	16910
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Integrated MCB Box)	2S2HT-FLG+MCB	GF6959	17850
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	2S2HT-FACE+MCB	GF6970	17860
3.0	2250	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	3S2HT-FACE+MCB	GF6972	25620
2.0	1500	2	B56	TEFC	M	Foot cum Face	2S2HT-FACE+MCB-TP	GF6973	13570
3.0	2250	2	B56	TEFC	M	Foot cum Face	3S2HT-FCF-TP	GF6974	16970
3.0	2250	2	B56	TEFC	CSCR	Needle vibrator	3S2HT-FCF	GF6832	23890
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Eco Model)	2S2HTE-FCF	GF6892	13370
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Eco Model)	2S2HTE-FCFACE	GF6877	13110

**Rhino Series**

**Single Phase , 230 Volts, CI Body , IEC Frame, FHP Motors**



**4 pole Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	4	80	TEFC	CSCR	General Purpose	0.5C4M	GF7055	13220
1.0	750	4	80	TEFC	CSCR	General Purpose - ISI Mark	1C4M	GF7001	14260
1.0	750	4	90	TEFC	CSCR	General Purpose - HD - ISI Mark	1C4H	GF7058	14790
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4H	GF7042	19750
2.0	1500	4	100L	TEFC	CSCR	General Purpose - ISI Mark	2C4M	GF7010	20710
2.0	1500	4	100L	TEFC	CSCR	General Purpose - HD	2C4H	GF7065	21670
3.0	2250	4	112M	TEFC	CSCR	General Purpose	3C4H	GF7003	30230
4.0	3000	4	112M	TEFC	CSCR	General Purpose	4C4H	GF7004	31240
5.0	3750	4	132M	TEFC	CSCR	General Purpose	5C4H	GF7005	52180
5.0	3750	6	132M	TEFC	CSCR	General Purpose	5C6H	GF7079	52630
7.5	5500	4	160M	TEFC	CSCR	General Purpose	7.5C4H	GF7076	84230



Smart solutions.  
Strong relationships.

**4 pole, IEC Flange Mounted Motors**

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1C4M-FLG	GF7020	14510
3	2250	4	112M	TEFC	CSCR	General Purpose	3C4H-FLG	GF7048	31370

**Sheetal Series**

Single Phase , 230 Volts, CI Body , IEC Frame, Economy Model FHP Motors



**4 pole Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	90	TEFC	CSCR	General Purpose - ISI Mark	1C4HE	GF7039	12930
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4ME	GF7019	17230
2.0	1500	4	100L	TEFC	CSCR	General Purpose- ISI Mark	2C4ME	GF7017	18740
3.0	2250	4	112	TEFC	CSCR	General Purpose - ISI Mark	3C4HE	GF7041	24980

**e LiTe Series**

Single Phase , 230 Volts, Aluminium Body, IEC Frame FHP Motors



**4 pole Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	63	TEFC	PSC	Pumps/ Blowers	0.25A4L	GF7501	6570
0.33	250	4	71	TEFC	CSCR	General purpose	0.33A4M	GF7237	8840
0.33	250	4	71	TEFC	PSC	Pumps/ Blowers	0.33A4L	GF7238	6750
0.5	375	4	71	TEFC	PSC	Pumps/ Blowers	0.5A4L	GF7502	8200
0.5	370	4	71	TEFC	CSCR	General purpose	0.5A4M	GF7239	9780
0.75	550	4	80	TEFC	CSCR	General purpose	0.75A4M	GF7240	12180
0.75	550	4	80	TEFC	PSC	Pumps/ Blowers	0.75A4L	GF7241	10090
1.0	750	4	80	TEFC	PSC	Pumps/ Blowers	1A4L	GF7503	11490
1.0	750	4	80	TEFC	CSCR	General purpose	1A4M	GF7504	13440
1.5	1100	4	90S	TEFC	CSCR	General purpose	1.5A4M	GF7242	17160
1.5	1100	4	90S	TEFC	PSC	Pumps/ Blowers	1.5A4L	GF7243	16660
2.0	1500	4	90L	TEFC	PSC	Pumps/ Blowers	2A4L	GF7244	18120
2.0	1500	4	90L	TEFC	CSCR	General purpose	2A4M	GF7245	18930
3.0	2200	4	100L	TEFC	PSC	Pumps/ Blowers	3A4L	GF7246	23160
3.0	2200	4	100L	TEFC	CSCR	General purpose	3A4M	GF7247	26320



Smart solutions.  
Strong relationships.

**2 pole Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	2	63	TEFC	PSC	General purpose	0.25A2L	GF7248	7440
0.33	250	2	63	TEFC	PSC	General purpose	0.33A2L	GF7249	8200
0.5	370	2	71	TEFC	CSCR	General purpose	0.5A2M	GF7250	9970
0.75	550	2	71	TEFC	CSCR	General purpose	0.75A2M	GF7252	11490
1	750	2	80	TEFC	PSC	Pumps/ Blowers	1A2L	GF7254	11620
1	750	2	80	TEFC	CSCR	General purpose	1A2M	GF7255	13120
1.5	1100	2	80	TEFC	PSC	Pumps/ Blowers	1.5A2L	GF7256	12490
1.5	1100	2	90	TEFC	CSCR	General purpose	1.5A2M	GF7257	13880
2	1500	2	90S	TEFC	PSC	Pumps/ Blowers	2A2L	GF7258	16410
2	1500	2	90L	TEFC	CSCR	General purpose	2A2M	GF7259	17800
3	2200	2	90L	TEFC	PSC	Pumps/ Blowers	3A2L	GF7260	18790
3.0	2250	2	90	TEFC	CSCR	General purpose	3A2M	GF7235	20640

**4 pole Flange Mounted Motors**

**eLite** SERIES

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.16	120	4	IEC 63	TEFC	PSC	Pump/Blowers	0.16A4L-FLG	GF7525	6940
0.25	180	4	IEC 71	TEFC	PSC	Pump/Blowers	0.25A4L-FLG	GF7220	8080
0.25	180	4	IEC 71	TEFC	CSIR	General Purpose	0.25A4M-FLG	GF7526	8620
0.25	180	4	IEC63	TEFC	PSC	General Purpose	0.25A4H-FLG	GF7261	8590
0.50	370	4	IEC 71	TEFC	PSC	Pump/Blowers	0.5A4L-FLG	GF7519	9200
0.5	370	4	IEC71	TEFC	CSCR	General purpose	0.5A4M-FLG	GF7262	11490
0.50	370	4	IEC 80	TEFC	PSC	Pump/Blowers	0.5A4L-80FLG	GF7221	8890
0.50	370	4	IEC 80	TEFC	CSIR	General Purpose	0.5A4M-80FLG	GF7512	10780
0.75	550	4	IEC 80	TEFC	PSC	Pump/Blowers	0.75A4L-FLG	GF7223	10600
0.75	550	4	IEC 80	TEFC	CSCR	General Purpose	0.75A4M-FLG	GF7210	11730
1.00	750	4	IEC 80	TEFC	PSC	Pump/Blowers	1A4L-FLG	GF7225	10850
1.00	750	4	IEC 80	TEFC	CSCR	General Purpose	1A4M-FLG	GF7508	13380
2.0	1500	4	IEC 90	TEFC	CSCR	General purpose	2A4M-FLG	GF7263	20700
3.0	2200	4	IEC 100L	TEFC	CSCR	General purpose	3A4M-FLG	GF7264	27770

**2 pole Flange Mounted Motors**

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	120	2	IEC 63	TEFC	PSC	Pump/Blowers	0.25A2L-FLG	GF7212	6570
0.50	370	2	IEC 71	TEFC	PSC	Pump/Blowers	0.5A2L-FLG	GF7214	8200
1.00	750	2	IEC 80	TEFC	PSC	Pump/Blowers	1A2L-FLG	GF7216	10730
2.00	1500	2	IEC 90	TEFC	PSC	Pump/Blowers	2A2L-FLG	GF7218	15820



Smart solutions.  
Strong relationships.

**3 RS Series**

**Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame Motors**



**4 pole , Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MD-TP	GF6793	9480
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MD-TP	GF6805	11860
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MD-TP	GF6794	13760
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MD-TP	GF6798	20650

**Power Series**

**Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame , Economy Model Motors**

**4 pole Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MDE-TP	GF6851	7200
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MDE-TP	GF6854	10360
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MDE-TP	GF6852	12120
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MDE-TP	GF6853	15010

**Three Phase , 415 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting**

**4 pole Flange mounted motors**

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	M	General Purpose	0.25S4MTE-TP+FLG	GF6936	5310
0.5	370	4	IEC 71	TEFC	M	General Purpose	0.5S4MTE-TP+FLG	GF6930	7020
1	750	4	IEC 80	DPFC	M	General Purpose	1S4MDE-TP+FLG	GF6931	8260
1.5	1100	4	IEC 90	DPFC	M	General Purpose	1.5S4MDE-TP+FLG	GF6933	10670
2	1500	4	IEC 90	DPFC	M	General Purpose	2S4MDE-TP+FLG	GF6932	12930
3	2250	4	IEC100	DPFC	M	General Purpose	3S4MDE-TP-FLG	GF8604	17040



Smart solutions.  
Strong relationships.

Comfort Series

Single Phase & Three Phase , Rolled Sheet Body Motors for Air Handling Application.

4 , 6 & 8 Pole, Pad Mounted Motors



HP	Watts	Pole	Frame	Enclosure	Type	Application	New Cat ref	Old Cat Ref	ALP- INR
0.13	90	4	95D	TE AOM	12	12" Fan	12EX4-	GF4414	2840
0.03	25	2	95D	TE AOM	PSC	12" Fan	12EX2-	GF4553	2520
0.03	25	2	95D	TE AOM	PSC	12" Fan(Lug Mounting)	12CO2-LUG	GF7411	1950
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3CW	GF4662R-CW-S	2010
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW	GF4662R-ACW-S	2010
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3CW-COWL	GF4662R-CW-COWL-S	2110
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW-COWL	GF4662R-ACW-COWL-S	2110
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-CW	2420
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-ACW	2420
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3	GF4663R-CW-S	2120
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3 COWL	GF4663R-ACW-COWL-S	2230
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3	GF4663R-ACW-S	2120
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3 COWL	GF4663R-CW-COWL-S	2230
0.14	107	4	110D	TE AOM	PSC	17" Coolers	17CO4E-3 COWL	GF4664R-ACW-COWL	2540
0.14	107	4	110D	TE AOM	PSC	17" Coolers	17CO4E-3 COWL	GF4664R-ACW-COWL-B	2810
0.14	107	4	B42	TE AOM	PSC	16"-Climatiser Motor-3 Speed(Eco)	16CL4-3E	GF4519	3600
0.16	125	6	B48	TE AOM	PSC	18" Fan- 3 Speed	18EX6-3	GF4380	5060
0.16	125	4	B42	TE AOM	PSC	15" Fan	15EX4	GF4390	4050
0.14	107	4	B42	TE AOM	PSC	16"-Climatiser Motor-3 Speed	16CL4-3	GF7410	3360
0.16	125	4	B42	TE AOM	PSC	15" Fan-3 Speed	15EX4-3	GF4378	4180
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)	18EX4-E	GF4389	4240
0.25	180	4	B48	TE AOM	PSC	18" Fan	18EX4	GF4480	5130
0.25	180	4	B48	TE AOM	PSC	18" Fan-3 Speed	18EX4-3	GF4379	5530
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)-3 Speed	18EX4-3E	GF4497	4810
0.25	180	4	B48	TE AOM	PSC	18.5" Climatizer 113 deg. angle	-	GF4667R-COWL	3710
0.25	180	4	B48	TE AOM	PSC	18.5" Climatizer 100 deg angle	-	GF4659R-COWL	3580
0.25	180	4	B48	TE AOM	PSC	17" climatizer 113 deg angle	-	GF4666R-COWL	3230
0.50	370	6	B56	TE AOM	PSC	24" Fan	24EX6	GF6619	8890
0.50	370	6	B56	TE AOM	PSC	24" Fan(Eco)	24EX6-E	GF6872	7520
0.50	370	6	B56	TE AOM	M	24" Fan	24EX6-TP	GF6739	9140

PSC : Permanent Split Capacitor Motor  
CSCR : Capacitor Start Capacitor Run Motor

CSIR : Capacitor Start Induction Run Motor  
S : Split Phase Motor

M : Three Phase Motor

Note :

- All Prices are subject to our general terms & condition of business policy .
- GST - extra as applicable .
- Any change in this would be charged as applicable at the time of despatch.
- Prices are subject to change without notice.
- This price list supersedes all our earlier price list
- \* marked ratings, 2 pole motors, flange motors, Aluminium body and CI body motors require MOQ of 50 nos.