



Smart solutions.  
Strong relationships.

## **FHP Division , GOA**

# **FHP PRICE LIST No - 15 STANDARD MOTORS**

**Ref : FHP/ALP-STD/25-26/ 15 w.e.f. 1/2/2026**



Smart solutions.  
Strong relationships.

**Millenium Series**

Single Phase , 230 Volts, Rolled Sheet Body, NEMA/IEC Frame FHP Motors

**4 pole, Foot Mounted Motors**

**MILLENIUM** SERIES

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	List Price - INR
0.25	180	4	B48	DP	PSC	General Purpose	0.25S4LD	GF4228-BB	5480
0.25	180	4	B48	DP	PSC	Soda making(with hub)	0.25S4LD-SODA	*GF4555	5480
0.33	250	4	B48	DP	PSC	Incubator / GP	0.33S4LD	*GF6964	7230
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4MD	GF6434	9960
1.0	750	4	B56	DPFC	CSCR	General Purpose	1S4MD	GF6566-H	14380
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HT	GF6054	15380
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4HT	GF6563	18870
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD	2S4HT	GF6564	21790
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD with CI Endshield	2S4MT-CIES	*GF6987	23070
2.0	1500	4	100S	TEFC	CSCR	General Purpose	2S4MT	GF6834	20390
2.0	1500	4	100S	TEFC	CSCR	Wood Planer	2S4HT-WP	GF6230	22820
2.0	1500	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	2S4HT-WP+CIES	*GF6989	23320
2.0	1500	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	2S4HT-WP+ITB	*GF6909	24220
3.0	2250	4	100S	DPFC	CSCR	General Purpose	3S4HD	GF6565	27300
3.0	2250	4	100S	TEFC	CSCR	General Purpose- ISI Mark	3S4HT	GF6565-TEFC	27300
3.0	2250	4	100S	TEFC	CSCR	General Purpose -HD with CI endshield	3S4HT-CIES	*GF6988	27560
3.0	2250	4	100S	TEFC	CSCR	Wood Planer	3S4HT-WP	GF6567	28630
3.0	2250	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	3S4HT-WP+CIES	*GF6990	28910
3.0	2250	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	3S4HT-WP+ITB	*GF6963	29440

**2 pole Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.5	370	2	B56	DP	CSIR	General Purpose	0.5S2MD	GF6132	10430
1.0	750	2	B56	DP	CSIR	General Purpose	1S2MD	GF6133	14050
1.0	750	2	B56	TEFC	CSIR	General Purpose	1S2MT	GF6144	13850
2.0	1500	2	B56	TEFC	CSCR	General Purpose	2S2MT	GF6217	17860



Smart solutions.  
Strong relationships.

**Maestro Series**

Single Phase , 230 Volts, Rolled Sheet Body , NEMA/IEC Frame, Economy Model FHP Motors

**4 pole Foot Mounted Motors**



HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP1	*GF6093	6020
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP2	*GF6347	5750
0.25	180	4	B56	DP	PSC	General Purpose	0.25S4LDE	GF6090	4890
0.25	180	4	B48	DP	PSC	Soda making( with hub)	0.25S4LDE-SODA	*GF4523	4350
0.25	180	4	B48	DP	PSC	Wet Grinder-CCW	0.25S4LDE-WG	GF4451	3950
0.25	180	4	B48	DP	PSC	Wet Grinder-CW	0.25S4LDESP3	GF4453	3950
0.33	250	4	B56	DP	PSC	Wet Grinder	0.33S4LDE	*GF6102	5830
0.25	180	4	B56	DP	CSIR	General Purpose	0.25S4HDE	GF6779	6210
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4HDE	GF6778	8170
0.5	370	4	B56	TEFC	CSIR	General Purpose	0.5S4MTE	*GF6091	8830
0.5	370	4	B56	DP	CSCR	General Purpose	0.5S4HDE-Q	GF6890	8300
0.5	370	4	B56	DP	CSCR	Wet Grinder	0.5S4MDE	GF6781-H	7420
1.0	750	4	B56	DP	CSCR	General Purpose(LD)	1S4LDE	GF6784	10840
1.0	750	4	B56	DPFC	CSCR	General Purpose	1S4HDE	GF6782	12430
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HTE	*GF6879	12430
1.5	1100	4	B56	DPFC	CSCR	General Purpose	1.5S4MDE	*GF6806	13520
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4MTE	*GF6901	16790
2	1500	4	100S	TEFC	CSCR	General Purpose	2S4MTE	*GF6902	19600
2	1500	4	100S	TEFC	CSCR	General Purpose ISI Approval	2S4HTE	GF6564-SPL	19800
2	1500	4	100S	TEFC	CSCR	Wood Working	2S4HTE-WP	*GF6904	21070

**2 pole Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.5	370	2	B56	TEFC	CSCR	General Purpose	0.5S2MTE	GF6828	8900
1.0	750	2	B56	TEFC	CSCR	General Purpose	1S2MTE	GF6829	10630



Smart solutions.  
Strong relationships.

Single Phase , 220-240 Volts, Rolled Sheet Body FHP Motors with IEC Flange Mounting



**MILLENIUM** SERIES

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	CSCR	General Purpose	0.25S4HT-FLG	GF6939	8340
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4MT-FLG	GF6940	10870
0.5	370	4	IEC 71	TEFC	CSCR	General Purpose	0.5S4HT-FLG	GF6940-H	10870
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HT-FLG	GF6941	15910
1.5	1100	4	IEC 90	TEFC	CSCR	General Purpose	1.5S4HT-FLG	GF6998	19800
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4LT-FLG	GF6823	19070
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4MT-FLG	GF6956	21880
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4HT-FLG	GF8734	21880
2.0	1500	4	Custom 100	TEFC	CSCR	Pressure washing Pump	2S4MT-FCF	GF6834-FC	21420
3.0	1500	4	IEC 100	TEFC	CSCR	General Purpose	3S4HT-FLG	GF6942	27160
3.0	2200	4	Custom 100	TEFC	CSCR	Pressure washing Pump	3S4HT-FCF	GF6565-TEFC-FC	28670

Single Phase , 220-240 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting

4 pole Flange mounted motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HTE-FLG	GF6795	8690
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HTE-FLG	GF6938	12370

2 pole NEMA Flange Mounted Lawn Mower Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
1.0	750	2	B56	TEFC	CSIR	Lawn Mower	1S2HT-LM	GF6785	13910
1.0	750	2	B56	TEFC	CSIR	Lawn Mower-Eco model	1S2HTE-LM	GF6850	12320
2.0	1500	2	B56	TEFC	CSCR	Lawn Mower	2S2HT-LM	GF6155	18590
3.0	2250	2	B56	TEFC	CSCR	Lawn Mower	3S2LT-LM	GF6897	19770

2 pole NEMA Foot cum Flange Mounted Motors for Needle Vibrator Application

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange	2S2HT-FCF	GF6156	18260
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face	2S2HT-FCFACE	GF6856	17920
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Integrated MCB Box)	2S2HT-FLG+MCB	GF6959	18920
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	2S2HT-FACE+MCB	GF6970	18930
3.0	2250	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	3S2HT-FACE+MCB	GF6972	27160
2.0	1500	2	B56	TEFC	M	Foot cum Face-3 Ph	2S2HT-FACE+MCB-TP	GF6973	14380
3.0	2250	2	B56	TEFC	M	Foot cum Face-3 Ph	3S2HT-FCF-TP	GF6974	17990
3.0	2250	2	B56	TEFC	CSCR	Needle vibrator	3S2HT-FCF	GF6832	25320
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Eco Model)	2S2HTE-FCF	GF6892	14170
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Eco Model)	2S2HTE-FCFACE	GF6877	13900



**Rhino Series**

Single Phase , 230 Volts, CI Body , IEC Frame, FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.5	370	4	80	TEFC	CSCR	General Purpose	0.5C4M	GF7055	14010
1.0	750	4	80	TEFC	CSCR	General Purpose - ISI Mark	1C4M	GF7001	15120
1.0	750	4	90	TEFC	CSCR	General Purpose - HD - ISI Mark	1C4H	GF7058	15680
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4H	GF7042	20940
2.0	1500	4	100L	TEFC	CSCR	General Purpose - ISI Mark	2C4M	GF7010	21950
2.0	1500	4	100L	TEFC	CSCR	General Purpose - HD	2C4H	GF7065	22970
3.0	2250	4	112M	TEFC	CSCR	General Purpose	3C4H	GF7003	32040
3.0	2250	4	112M	TEFC	CSCR	General Purpose with MCB	3C4H-M	GF7003-M	32040
3.0	2250	4	112M	TEFC	CSCR	Pressure washing Pump	3C4H-FCF	GF7003-FC	34440
4.0	3000	4	112M	TEFC	CSCR	General Purpose	4C4H	GF7004	33110
4.0	3000	4	112M	TEFC	CSCR	Pressure washing Pump	4C4H-FCF	GF7004-FC	35840
5.0	3750	4	132M	TEFC	CSCR	General Purpose	5C4H	GF7005	55310
5.0	3750	6	132M	TEFC	CSCR	General Purpose	5C6H	GF7079	55790
7.5	5500	4	160M	TEFC	CSCR	General Purpose	7.5C4H	GF7076	89280

4 pole, IEC Flange Mounted Motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1C4M-FLG	GF7020	15380
3	2250	4	112M	TEFC	CSCR	General Purpose	3C4H-FLG	GF7048	33250

**Sheetal Series**

Single Phase , 230 Volts, CI Body , IEC Frame, Economy Model FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
1.0	750	4	90	TEFC	CSCR	General Purpose - ISI Mark	1C4HE	GF7039	13710
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4ME	GF7019	18260
2.0	1500	4	100L	TEFC	CSCR	General Purpose- ISI Mark	2C4ME	GF7017	19860
3.0	2250	4	112	TEFC	CSCR	General Purpose - ISI Mark	3C4HE	GF7041	26480



Smart solutions.  
Strong relationships.

e Lite Series

Single Phase , 230 Volts, Aluminium Body, IEC Frame FHP Motors

**eLite** SERIES

4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.25	180	4	63	TEFC	PSC	Pumps/ Blowers	0.25A4L	GF7501	6960
0.33	250	4	71	TEFC	CSCR	General purpose	0.33A4M	GF7237	9370
0.33	250	4	71	TEFC	PSC	Pumps/ Blowers	0.33A4L	GF7238	7160
0.5	375	4	71	TEFC	PSC	Pumps/ Blowers	0.5A4L	GF7502	8690
0.5	370	4	71	TEFC	CSCR	General purpose	0.5A4M	GF7239	10370
0.75	550	4	80	TEFC	CSCR	General purpose	0.75A4M	GF7240	12910
0.75	550	4	80	TEFC	PSC	Pumps/ Blowers	0.75A4L	GF7241	10700
1.0	750	4	80	TEFC	PSC	Pumps/ Blowers	1A4L	GF7503	12180
1.0	750	4	80	TEFC	CSCR	General purpose	1A4M	GF7504	14250
1.5	1100	4	90S	TEFC	CSCR	General purpose	1.5A4M	GF7242	18190
1.5	1100	4	90S	TEFC	PSC	Pumps/ Blowers	1.5A4L	GF7243	17660
2.0	1500	4	90L	TEFC	PSC	Pumps/ Blowers	2A4L	GF7244	19210
2.0	1500	4	90L	TEFC	CSCR	General purpose	2A4M	GF7245	20070
3.0	2200	4	100L	TEFC	PSC	Pumps/ Blowers	3A4L	GF7246	24550
3.0	2200	4	100L	TEFC	CSCR	General purpose	3A4M	GF7247	27900

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.25	180	2	63	TEFC	PSC	General purpose	0.25A2L	GF7248	7890
0.33	250	2	63	TEFC	PSC	General purpose	0.33A2L	GF7249	8690
0.5	370	2	71	TEFC	CSCR	General purpose	0.5A2M	GF7250	10570
0.75	550	2	71	TEFC	CSCR	General purpose	0.75A2M	GF7252	12180
1	750	2	80	TEFC	PSC	Pumps/ Blowers	1A2L	GF7254	12320
1	750	2	80	TEFC	CSCR	General purpose	1A2M	GF7255	13910
1.5	1100	2	80	TEFC	PSC	Pumps/ Blowers	1.5A2L	GF7256	13240
1.5	1100	2	90	TEFC	CSCR	General purpose	1.5A2M	GF7257	14710
2	1500	2	90S	TEFC	PSC	Pumps/ Blowers	2A2L	GF7258	17390
2	1500	2	90L	TEFC	CSCR	General purpose	2A2M	GF7259	18870
3	2200	2	90L	TEFC	PSC	Pumps/ Blowers	3A2L	GF7260	19920
3.0	2250	2	90	TEFC	CSCR	General purpose	3A2M	GF7235	21880



Smart solutions.  
Strong relationships.

**4 pole Flange Mounted Motors**

**eLite** SERIES

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.16	120	4	IEC 63	TEFC	PSC	Pump/Blowers	0.16A4L-FLG	GF7525	7360
0.25	180	4	IEC 71	TEFC	PSC	Pump/Blowers	0.25A4L-FLG	GF7220	8560
0.25	180	4	IEC 71	TEFC	CSIR	General Purpose	0.25A4M-FLG	GF7526	9140
0.25	180	4	IEC63	TEFC	PSC	General Purpose	0.25A4H-FLG	GF7261	9110
0.50	370	4	IEC 71	TEFC	PSC	Pump/Blowers	0.5A4L-FLG	GF7519	9750
0.5	370	4	IEC71	TEFC	CSCR	General purpose	0.5A4M-FLG	GF7262	12180
0.50	370	4	IEC 80	TEFC	PSC	Pump/Blowers	0.5A4L-80FLG	GF7221	9420
0.50	370	4	IEC 80	TEFC	CSIR	General Purpose	0.5A4M-80FLG	GF7512	11430
0.75	550	4	IEC 80	TEFC	PSC	Pump/Blowers	0.75A4L-FLG	GF7223	11240
0.75	550	4	IEC 80	TEFC	CSCR	General Purpose	0.75A4M-FLG	GF7210	12430
1.00	750	4	IEC 80	TEFC	PSC	Pump/Blowers	1A4L-FLG	GF7225	11500
1.00	750	4	IEC 80	TEFC	CSCR	General Purpose	1A4M-FLG	GF7508	14180
2.0	1500	4	IEC 90	TEFC	CSCR	General purpose	2A4M-FLG	GF7263	21940
3.0	2200	4	IEC 100L	TEFC	CSCR	General purpose	3A4M-FLG	GF7264	29440

**2 pole Flange Mounted Motors**

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.25	120	2	IEC 63	TEFC	PSC	Pump/Blowers	0.25A2L-FLG	GF7212	6960
0.50	370	2	IEC 71	TEFC	PSC	Pump/Blowers	0.5A2L-FLG	GF7214	8690
1.00	750	2	IEC 80	TEFC	PSC	Pump/Blowers	1A2L-FLG	GF7216	11370
2.00	1500	2	IEC 90	TEFC	PSC	Pump/Blowers	2A2L-FLG	GF7218	16770



Smart solutions.  
Strong relationships.

**3 RS Series**

**Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame Motors**

**4 pole , Foot Mounted Motors**



HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MD-TP	GF6793	10050
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MD-TP	GF6805	12570
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MD-TP	GF6794	14590
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MD-TP	GF6798	21890

**Power Series**

**Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame , Economy Model Motors**

**4 pole Foot Mounted Motors**

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MDE-TP	GF6851	7630
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MDE-TP	GF6854	10980
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MDE-TP	GF6852	12850
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MDE-TP	GF6853	15910

**Three Phase , 415 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting**

**4 pole Flange mounted motors**

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	M	General Purpose	0.25S4MTE-TP+FLG	GF6936	5630
0.5	370	4	IEC 71	TEFC	M	General Purpose	0.5S4MTE-TP+FLG	GF6930	7440
1	750	4	IEC 80	DPFC	M	General Purpose	1S4MDE-TP+FLG	GF6931	8760
1.5	1100	4	IEC 90	DPFC	M	General Purpose	1.5S4MDE-TP+FLG	GF6933	11310
2	1500	4	IEC 90	DPFC	M	General Purpose	2S4MDE-TP+FLG	GF6932	13710
3	2250	4	IEC100	DPFC	M	General Purpose	3S4MDE-TP-FLG	GF8604	18060



Smart solutions.  
Strong relationships.

Comfort Series

Single Phase & Three Phase , Rolled Sheet Body Motors for Air Handling Application.

4 , 6 & 8 Pole, Pad Mounted Motors



HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Catref	ALP- INR
0.06	50	2	89D	TE AOM	PSC	12" Fan	12CO2	GF4710R	1500
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3CW	GF4662R-CW-S	2010
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW	GF4662R-ACW-S	2010
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3CW-COWL	GF4662R-CW-COWL-S	2110
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW-COWL	GF4662R-ACW-COWL-S	2110
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-CW	2420
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-ACW	2420
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3	GF4663R-CW-S	2120
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3 COWL	GF4663R-ACW-COWL-S	2230
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3	GF4663R-ACW-S	2120
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3 COWL	GF4663R-CW-COWL-S	2230
0.14	107	4	110D	TE AOM	PSC	17" Coolers	17CO4E-3 COWL	GF4664R-ACW-COWL	2540
0.14	107	4	110D	TE AOM	PSC	17" Coolers	17CO4E-3 COWL	GF4664R-ACW-COWL-B	2810
0.14	107	4	B42	TE AOM	PSC	16"-Climatizer Motor-3 Speed(Eco)	16CL4-3E	GF4519	3600
0.16	125	6	B48	TE AOM	PSC	18" Fan- 3 Speed	18EX6-3	GF4380	5060
0.16	125	4	B42	TE AOM	PSC	15" Fan	15EX4	GF4390	4050
0.16	125	4	B42	TE AOM	PSC	15" Fan-3 Speed	15EX4-3	GF4378	4180
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)	18EX4-E	GF4389	4240
0.25	180	4	B48	TE AOM	PSC	18" Fan	18EX4	GF4480	5130
0.25	180	4	B48	TE AOM	PSC	18" Fan-3 Speed	18EX4-3	GF4379	5530
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)-3 Speed	18EX4-3E	GF4497	4810
0.25	180	4	B48	TE AOM	PSC	18.5" Climatizer 113 deg. angle	18CL4-H35	GF4667R-COWL	3710
0.25	180	4	B48	TE AOM	PSC	18.5" Climatizer 100 deg angle	18CL4-H32	GF4659R-COWL	3580
0.25	180	4	B48	TE AOM	PSC	17" climatizer 113 deg angle	18CL4-E32	GF4666R-COWL	3230
0.50	370	6	B56	TE AOM	PSC	24" Fan	24EX6	GF6619	8890
0.50	370	6	B56	TE AOM	PSC	24" Fan(Eco)	24EX6-E	GF6872	7520
0.50	370	6	B56	TE AOM	M	24" Fan	24EX6-TP	GF6739	9140

PSC : Permanent Split Capacitor Motor  
CSCR : Capacitor Start Capacitor Run Motor

CSIR : Capacitor Start Induction Run Motor  
S : Split Phase Motor

M : Three Phase Motor

Note :

1. All Prices are subject to our general terms & condition of business policy .
2. GST - extra as applicable .
3. Any change in this would be charged as applicable at the time of despatch.
4. Prices are subject to change without notice.
5. This price list supersedes all our earlier price list
6. \* marked ratings, 2 pole motors, flange motors, Aluminium body and CI body motors require MOQ of 50 nos.