



FHP MOTORS DIVISION

FHP PRICE LIST No- 12 STANDARD MOTORS

Ref : FHP/ALP-STD/22-23/ 12 w.e.f. 01/03/2023

Millenium Series

Single Phase , 220 Volts, Rolled Sheet Body, NEMA/IEC Frame FHP Motors

4 pole, Foot Mounted Motors

MILLENIUMSERIES

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	List Price - INR
0.25	180	4	B48	DP	PSC	General Purpose	0.25S4LD	GF4228-BB	4650
0.25	180	4	B48	DP	PSC	Soda making(with hub)	0.25S4LD-SODA	GF4555	4650
0.33	250	4	B48	DP	PSC	Incubator / GP	0.33S4LD	GF6964	6120
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4MD	GF6434	8450
1.0	750	4	B56	DPFC	CSIR	General Purpose	1S4MD	GF6566	12190
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HT	GF6054	13040
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4HT	GF6563	15990
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD	2S4HT	GF6564	18480
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD with CI Endshield	2S4MT-CIES	GF6987	19190
2.0	1500	4	100S	TEFC	CSCR	General Purpose	2S4MT	GF6834	17290
2.0	1500	4	100S	TEFC	CSCR	Wood Planer	2S4HT-WP	GF6230	19160
2.0	1500	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	2S4HT-WP+CIES	GF6989	19760
2.0	1500	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	2S4HT-WP+ITB	GF6909	20530
3.0	2250	4	100S	DPFC	CSCR	General Purpose	3S4HD	GF6565	23130
3.0	2250	4	100S	TEFC	CSCR	General Purpose	3S4HT	GF6565-TEFC	23130
3.0	2250	4	100S	TEFC	CSCR	General Purpose -HD with CI endshield	3S4HT-CIES	GF6988	23360
3.0	2250	4	100S	TEFC	CSCR	Wood Planer	3S4HT-WP	GF6567	24270
3.0	2250	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	3S4HT-WP+CIES	GF6990	24500
3.0	2250	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	3S4HT-WP+ITB	GF6963	24950

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	2	B56	DP	CSIR	General Purpose	0.5S2MD	GF6132	8840
1.0	750	2	B56	DP	CSIR	General Purpose	1S2MD	GF6133	11900
1.0	750	2	B56	TEFC	CSIR	General Purpose	1S2MT	GF6144	11740
2.0	1500	2	B56	TEFC	CSCR	General Purpose	2S2MT	GF6217	15140



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

Maestro Series

Single Phase , 220 Volts, Rolled Sheet Body , NEMA/IEC Frame, Economy Model FHP Motors

4 pole Foot Mounted Motors



HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP1	GF6093	5100
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP2	GF6347	4870
0.25	180	4	B56	DP	PSC	General Purpose	0.25S4LDE	GF6090	4140
0.25	180	4	B48	DP	PSC	Soda making(with hub)	0.25S4LDE-SODA	GF4523	3690
0.25	180	4	B48	DP	PSC	Wet Grinder-CCW	0.25S4LDE-WG	GF4451	3350
0.25	180	4	B48	DP	PSC	Wet Grinder-CW	0.25S4LDESP3	GF4453	3350
0.33	250	4	B56	DP	PSC	Wet Grinder	0.33S4LDE	GF6102	4940
0.25	180	4	B56	DP	CSIR	General Purpose	0.25S4HDE	GF6779	5270
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4HDE	GF6778	6920
0.5	370	4	B56	TEFC	CSIR	General Purpose	0.5S4MTE	GF6091	7490
0.5	370	4	B56	DP	CSCR	General Purpose	0.5S4HDE-Q	GF6890	7040
0.5	370	4	B56	DP	CSCR	Wet Grinder	0.5S4MDE	GF6781-H	6290
1.0	750	4	B56	DP	CSCR	General Purpose(LD)	1S4LDE	GF6784	9190
1.0	750	4	B56	DPFC	CSCR	General Purpose	1S4HDE	GF6782	10540
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HTE	GF6879	10540
1.5	1100	4	B56	DPFC	CSCR	General Purpose	1.5S4MDE	GF6806	11460
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4MTE	GF6901	14230
2	1500	4	100S	TEFC	CSCR	General Purpose	2S4MTE	GF6902	16610
2	1500	4	100S	TEFC	CSCR	General Purpose ISI Approv	2S4HTE	GF6564-SPL	16780
2	1500	4	100S	TEFC	CSCR	Wood Working	2S4HTE-WP	GF6904	17860

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	2	B56	TEFC	CSCR	General Purpose	0.5S2MTE	GF6828	7540
1.0	750	2	B56	TEFC	CSCR	General Purpose	1S2MTE	GF6829	9010

Single Phase , 220-240 Volts, Rolled Sheet Body FHP Motors with IEC Flange Mounting



MILLENIUM SERIES

HP	Watts	Pole	Mountin g Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	CSCR	General Purpose	0.25S4HT-FLG	GF6939	6930
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HT-FLG	GF6940	9120
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HT-FLG	GF6941	13490
1.5	1100	4	IEC 90	TEFC	CSCR	General Purpose	1.5S4HT-FLG	GF6998	16780
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4LT-FLG	GF6823	16160
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4MT-FLG	GF6956	18540
3.0	1500	4	IEC 100	TEFC	CSCR	General Purpose	3S4HT-FLG	GF6942	23020

									
Smart solutions. Strong relationships.									
FHP MOTORS DIVISION									
Single Phase , 220-240 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting									
4 pole Flange mounted motors									
HP	Watts	Pole	Mountin g Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HTE-FLG	GF6795	7370
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HTE-FLG	GF6938	10490
2 pole NEMA Flange Mounted Lawn Mower Motors									
HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	2	B56	TEFC	CSIR	Lawn Mower	1S2HT-LM	GF6785	11790
1.0	750	2	B56	TEFC	CSIR	Lawn Mower-Eco model	1S2HTE-LM	GF6850	10440
2.0	1500	2	B56	TEFC	CSCR	Lawn Mower	2S2HT-LM	GF6155	15760
3.0	2250	2	B56	TEFC	CSCR	Lawn Mower	3S2LT-LM	GF6897	16750
2 pole NEMA Foot cum Flange Mounted Motors for Needle Vibrator Application									
HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange	2S2HT-FCF	GF6156	15480
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face	2S2HT-FCFACE	GF6856	15190
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Integrated MCB	2S2HT-FLG+MCB	GF6959	16040
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	2S2HT-FACE+MCB	GF6970	16050
3.0	2250	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	3S2HT-FACE+MCB	GF6972	23020
2.0	1500	2	B56	TEFC	M	Foot cum Face	2S2HT-FACE+MCB-TP	GF6973	12190
3.0	2250	2	B56	TEFC	M	Foot cum Face	3S2HT-FCF-TP	GF6974	15250
3.0	2250	2	B56	TEFC	CSCR	Needle vibrator	3S2HT-FCF	GF6832	21070
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Eco Mode	2S2HTE-FCF	GF6892	12010
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Eco Model)	2S2HTE-FCFACE	GF6877	11780
Rhino Series									
Single Phase , 220 Volts, CI Body , IEC Frame, FHP Motors									
4 pole Foot Mounted Motors									
HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	4	80	TEFC	CSCR	General Purpose	0.5C4M	GF7067	11880
1.0	750	4	80	TEFC	CSCR	General Purpose - ISI Mark	1C4M	GF7001	12810
1.0	750	4	90	TEFC	CSCR	General Purpose - HD - ISI Ma	1C4H	GF7058	13290
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4H	GF7042	17580
2.0	1500	4	100L	TEFC	CSCR	General Purpose - ISI Mark	2C4M	GF7010	18430
2.0	1500	4	100L	TEFC	CSCR	General Purpose - HD	2C4H	GF7065	19470
3.0	2250	4	112M	TEFC	CSCR	General Purpose	3C4H	GF7003	27160
4.0	3000	4	112M	TEFC	CSCR	General Purpose	4C4H	GF7004	28070
5.0	3750	4	132M	TEFC	CSCR	General Purpose	5C4H	GF7005	46890
5.0	3750	6	132M	TEFC	CSCR	General Purpose	5C6H	GF7079	46400
7.5	5500	4	160M	TEFC	CSCR	General Purpose	7.5C4H	GF7076	75680



FHP MOTORS DIVISION

4 pole, IEC Flange Mounted Motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1C4M-FLG	GF7020	13040
2	1500	4	IEC 100	TEFC	CSCR	General Purpose	2C4M-FLG	GF7059	18600
3	2250	4	112M	TEFC	CSCR	General Purpose	3C4H-FLG	GF7048	28180

Sheetal Series

Single Phase , 220 Volts, CI Body , IEC Frame, Economy Model FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	4	80	TEFC	CSCR	General Purpose	0.5C4HE	GF7038	8460
1.0	750	4	90	TEFC	CSCR	General Purpose - ISI Mark	1C4HE	GF7039	11620
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4ME	GF7019	15480
2.0	1500	4	100L	TEFC	CSCR	General Purpose- ISI Mark	2C4ME	GF7017	16840
3.0	2250	4	112	TEFC	CSCR	General Purpose - ISI Mark	3C4HE	GF7041	22450

e LiTe Series

Single Phase , 220 Volts, Aluminium Body, IEC Frame FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	63	TEFC	PSC	Pumps/ Blowers	0.25A4L	GF7501	5900
0.33	250	4	71	TEFC	CSCR	General purpose	0.33A4M	GF7237	7940
0.33	250	4	71	TEFC	PSC	Pumps/ Blowers	0.33A4L	GF7238	5950
0.5	375	4	71	TEFC	PSC	Pumps/ Blowers	0.5A4L	GF7502	7370
0.5	370	4	71	TEFC	CSCR	General purpose	0.5A4M	GF7239	8630
0.75	550	4	80	TEFC	CSCR	General purpose	0.75A4M	GF7240	10740
0.75	550	4	80	TEFC	PSC	Pumps/ Blowers	0.75A4L	GF7241	9070
1.0	750	4	80	TEFC	PSC	Pumps/ Blowers	1A4L	GF7503	10320
1.0	750	4	80	TEFC	CSCR	General purpose	1A4M	GF7504	12080
1.5	1100	4	90S	TEFC	CSCR	General purpose	1.5A4M	GF7242	15420
1.5	1100	4	90S	TEFC	PSC	Pumps/ Blowers	1.5A4L	GF7243	14970
2.0	1500	4	90L	TEFC	PSC	Pumps/ Blowers	2A4L	GF7244	16280
2.0	1500	4	90L	TEFC	CSCR	General purpose	2A4M	GF7245	17010
3.0	2200	4	100L	TEFC	PSC	Pumps/ Blowers	3A4L	GF7246	20810
3.0	2200	4	100L	TEFC	CSCR	General purpose	3A4M	GF7247	23650



FHP MOTORS DIVISION

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	2	63	TEFC	PSC	General purpose	0.25A2L	GF7248	6690
0.33	250	2	63	TEFC	PSC	General purpose	0.33A2L	GF7249	7370
0.5	370	2	71	TEFC	CSCR	General purpose	0.5A2M	GF7250	8960
0.75	550	2	71	TEFC	CSCR	General purpose	0.75A2M	GF7252	10320
1	750	2	80	TEFC	PSC	Pumps/ Blowers	1A2L	GF7254	10440
1	750	2	80	TEFC	CSCR	General purpose	1A2M	GF7255	11570
1.5	1100	2	80	TEFC	PSC	Pumps/ Blowers	1.5A2L	GF7256	11220
1.5	1100	2	90	TEFC	CSCR	General purpose	1.5A2M	GF7257	12470
2	1500	2	90S	TEFC	PSC	Pumps/ Blowers	2A2L	GF7258	14740
2	1500	2	90L	TEFC	CSCR	General purpose	2A2M	GF7259	15990
3	2200	2	90L	TEFC	PSC	Pumps/ Blowers	3A2L	GF7260	16570
3.0	2250	2	90	TEFC	CSCR	General purpose	3A2M	GF7235	18540

4 pole Flange Mounted Motors

eLite SERIES

HP	Watts	Pole	Mountin g Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.16	120	4	IEC 63	TEFC	PSC	Pump/Blowers	0.16A4L-FLG	GF7525	6240
0.25	180	4	IEC 71	TEFC	PSC	Pump/Blowers	0.25A4L-FLG	GF7220	7260
0.25	180	4	IEC 71	TEFC	CSIR	General Purpose	0.25A4M-FLG	GF7526	7600
0.25	180	4	IEC71	TEFC	PSC	General Purpose	0.25A4H-FLG	GF7261	7710
0.50	370	4	IEC 71	TEFC	PSC	Pump/Blowers	0.5A4L-FLG	GF7519	8270
0.5	370	4	IEC71	TEFC	CSCR	General purpose	0.5A4M-FLG	GF7262	10320
0.50	370	4	IEC 80	TEFC	PSC	Pump/Blowers	0.5A4L-80FLG	GF7221	7990
0.50	370	4	IEC 80	TEFC	CSIR	General Purpose	0.5A4M-80FLG	GF7512	9690
0.75	550	4	IEC 80	TEFC	PSC	Pump/Blowers	0.75A4L-FLG	GF7223	9520
0.75	550	4	IEC 80	TEFC	CSCR	General Purpose	0.75A4M-FLG	GF7210	10540
1.00	750	4	IEC 80	TEFC	PSC	Pump/Blowers	1A4L-FLG	GF7225	9750
1.00	750	4	IEC 80	TEFC	CSCR	General Purpose	1A4M-FLG	GF7508	12020
2.0	1500	4	IEC 90	TEFC	CSCR	General purpose	2A4M-FLG	GF7263	18600
3.0	2200	4	IEC 100L	TEFC	CSCR	General purpose	3A4M-FLG	GF7264	24950

2 pole Flange Mounted Motors

HP	Watts	Pole	Mountin g Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	120	2	IEC 63	TEFC	PSC	Pump/Blowers	0.25A2L-FLG	GF7212	5900
0.50	370	2	IEC 71	TEFC	PSC	Pump/Blowers	0.5A2L-FLG	GF7214	7370
1.00	750	2	IEC 80	TEFC	PSC	Pump/Blowers	1A2L-FLG	GF7216	9640
2.00	1500	2	IEC 90	TEFC	PSC	Pump/Blowers	2A2L-FLG	GF7218	14210



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

3 RS Series

Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame Motors

4 pole , Foot Mounted Motors



HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MD-TP	GF6793	8510
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MD-TP	GF6805	10660
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MD-TP	GF6794	12360
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MD-TP	GF6798	18380

Power Series

Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame , Economy Model Motors

4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MDE-TP	GF6851	6470
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MDE-TP	GF6854	9300
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MDE-TP	GF6852	10890
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MDE-TP	GF6853	13490

Three Phase , 415 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting

4 pole Flange mounted motors

HP	Watts	Pole	Mountin g Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	M	General Purpose	0.25S4MTE-TP+FLG	GF6936	4770
0.5	370	4	IEC 71	TEFC	M	General Purpose	0.5S4MTE-TP+FLG	GF6930	6300
1	750	4	IEC 80	DPFC	M	General Purpose	1S4MDE-TP+FLG	GF6931	7420
1.5	1100	4	IEC 90	DPFC	M	General Purpose	1.5S4MDE-TP+FLG	GF6933	9590
2	1500	4	IEC 90	DPFC	M	General Purpose	2S4MDE-TP+FLG	GF6932	11620
3	2250	4	IEC100	DPFC	M	General Purpose	3S4MDE-TP-FLG	GF8604	15310

Comfort Series

Single Phase & Three Phase , Rolled Sheet Body Motors for Air Handling Application.

4 , 6 & 8 Pole, Pad Mounted Motors



HP	Watts	Pole	Frame	Enclosure	Type	Application	New Cat ref	Old Cat Ref	ALP- INR
0.13	90	4	95D	TE AOM	12	12" Fan	12EX4-	GF4414	2550
0.03	25	2	95D	TE AOM	PSC	12" Fan	12EX2-	GF4553	2270
0.03	25	2	95D	TE AOM	PSC	12" Fan(Lug Mounting)	12CO2-LUG	GF7411	1750
0.14	107	4	110D	TE AOM	PSC	16"" Coolers	16CO4E-3CW	GF4577R-CW-S	2380
0.14	107	4	110D	TE AOM	PSC	16"" Coolers	16CO4E-3ACW	GF4577R-ACW-S	2380
0.14	107	4	110D	TE AOM	PSC	16"" Coolers	16CO4E-3CW-COWL	GF4577R-CW-COWL-S	2510



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW-COWL	GF4577R-ACW-COWL-S	2510
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-CW	2280
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-ACW	2280
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3	GF4579R-CW-S	2650
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3 COWL	GF4579R-ACW-COWL-S	2800
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3	GF4579R-ACW-S	2650
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3 COWL	GF4579R-CW-COWL-S	2800
0.14	107	4	110D	TE AOM	PSC	17" Coolers	17CO4E-3 COWL	GF4641R-ACW-COWL-K	3360
0.14	107	4	B42	TE AOM	PSC	16"-Climatiser Motor-3 Speed(Eco)	16CL4-3E	GF4519	3400
0.14	107	4	B42	TE AOM	PSC	18" Cooler(Eco)-3 Speed	18CO4-3E	GF4527	2690
0.14	107	4	B43	TE AOM	PSC	18" Cooler(Eco)-3 Speed	19CO4-4E	GF4527-COWL	2870
0.14	107	4	B44	TE AOM	PSC	18" Cooler(Eco)-3 Speed	20CO4-5E	GF4527R-COWL-ACW	2870
0.14	107	4	B42	TE AOM	PSC	18" Cooler-3 Speed	18CO4	GF4550	3470
0.14	107	4	B42	TE AOM	PSC	18" Cooler(Eco)-3 Speed	18CO4-3H	GF4558	3110
0.14	107	4	B42	TE AOM	PSC	18" Cooler (stud mtg)-3 Speed	18CO4-3 STUD	GF4559	2690
0.16	125	6	B48	TE AOM	PSC	18" Fan- 3 Speed	18EX6-3	GF4380	4770
0.16	125	4	B42	TE AOM	PSC	15" Fan	15EX4	GF4390	3820
0.14	107	4	B42	TE AOM	PSC	16"-Climatiser Motor-3 Speed	16CL4-3	GF7410	3170
0.16	125	4	B42	TE AOM	PSC	15" Fan-3 Speed	15EX4-3	GF4378	3940
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)	18EX4-E	GF4389	4000
0.25	180	4	B48	TE AOM	PSC	18" Fan	18EX4	GF4480	4840
0.25	180	4	B48	TE AOM	PSC	18" Fan-3 Speed	18EX4-3	GF4379	5220
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)-3 Speed	18EX4-3E	GF4497	4540
0.50	370	6	B56	TE AOM	PSC	24" Fan	24EX6	GF6619	8390
0.50	370	6	B56	TE AOM	PSC	24" Fan(Eco)	24EX6-E	GF6872	7090
0.50	370	6	B56	TE AOM	M	24" Fan	24EX6-TP	GF6739	8620

Flame Proof Series

Explosion Proof Motors suitable for Gas Group IIA/IIB as per IS 2148

HP	Watts	Pole	Frame	Enclosure	Type	Application	New Cat ref	Old Cat Ref	ALP- INR
0.75	550	4	FP50	TEFC	CSCR	Fuel Dispenser	0.75F4	GF6442	18900
1.0	750	4	FP50	TEFC	CSCR	Fuel Dispenser	1F4	GF6557	22510

PSC : Permanent Split Capacitor Motor

CSIR : Capacitor Start Induction Run Motor

CSCR : Capacitor Start Capacitor Run Motor

S : Split Phase Motor

Note :

1. All Prices are subject to our general terms & condition of business policy .

2. GST - extra as applicable .

3. Any change in this would be charged as applicable at the time of despatch.

4. Prices are subject to change without notice.

5. This price list supersedes all our earlier price list